



Feed through assemblies for 7/8" coaxial cable, 102mm (4"), 3-entries

### Product Description

4" Feed Through Boot Assembly 7/8" cable, 3-entries



### Features/Benefits

These innovative boot assemblies feature a one-piece design which reduces installation time. The split, one-piece style simplifies clamping and frees the installers hands to position the cable runs. Boot assemblies are designed to be fitted onto 4" entry panels in wall/roof feed-through applications. The durable boot is designed to meet ASTM-D2000 and SAE J200 specifications. Each boot assembly includes the boot, two round member adapter clamps which fit inside the boot assembly to hold the coax in place.

### Technical Specifications

Product Line	Coaxial Cable Accessories
Product Type	Wall/Roof Feed-Through System
Feed-Through Component	Boot Assembly
Transmission Line Type	LCF78, UCF78
Coaxial Cable Type	Foam Dielectric, Superflexible Foam Dielectric, Ultraflexible Foam Dielectric
Cable Size	7/8"
Feed-Through Hole Diameter, mm (in)	102 (4)
Spare Part / Useful Accessories	Cushion plug for unused hole : BOOT-CP-78
Insert Holes	3
Color	Black
Material	EPDM rubber
Operation Temperature, °C(°F)	-50 to 85 (-58 to 185 )
Storage Temperature, °C(°F)	-50 to 85 (-58 to 185 )
Package Quantity	1
Weight per piece, kg (lb)	0.7 (1.54)
Box Dimensions (Bulk Shipping), L x W x H mm (in)	635 x 330 x 178 (25 x 13 x 7)

### Notes

### Other Documentation